

Adhese Documentation

- Introduction
 - Adhese support
 - Implementation guide
 - Architecture
 - An introduction to cookies
- Users of Adhese
 - Logging in to Adhese
 - Logging out of Adhese
 - Reset your password
 - Navigation
 - Searching
 - Users
 - Create a new user
 - Edit a user
 - Deactivate or delete a user
 - Components of the Adhese UI
 - Customize the Adhese user interface
 - Campaign filter
 - Sort table columns
 - Personalize table columns
- Adhese setup and implementation
 - The inventory's structure: positions
 - The Administration screen
 - Publishers and publications
 - Customers
 - Pricing and payments
 - Targets - Manage targets
 - Locations and channels
 - Formats and templates
 - Benchmarking
 - General
 - Inventory setup
 - Publishers
 - Create a new publisher
 - Edit a publisher
 - Deactivate a publisher
 - Publications
 - Create a new publication
 - Edit a publication
 - Deactivate a publication
 - Locations
 - Create a new location
 - Edit a location
 - Formats
 - Create a format
 - Edit a format
 - Stacked format
 - Positions
 - Create a position
 - Edit a position
 - Copy a position
 - Delete a position
 - Position types
 - Create a new position type
 - Edit a position type
 - Clients
 - App integration
 - Channels
 - Create a new channel
 - Edit a channel
 - List all channels and positions
 - Templates
 - Template types
 - Template parameters
 - Create a new template file
 - Edit a template file
 - Advar templates
 - Create a new Advar template
 - Edit an Advar template
 - VAST Ad Pods
 - The implementation of the Adhese ad tags
 - Adhese Gateway
 - Gateway configuration: Wikan
 - Import mapping data with spreadsheets
 - Gateway Debug Logging
 - Identification of unique visitors / contacts

- Campaign targeting
- System-wide over-delivery
- How to deal with responsive web pages?
- Ad blockers
- Google AMP integration
- User privacy GDPR
- Bot filtering
- Adhese Portal page
- Measure
 - What does Adhese record?
 - Impression measurement
 - Retention period of data
 - The user privacy settings of a browser
- Forecasting and planning
 - Inventory - forecasting
 - Planning
- Campaign management
 - Rate cards
 - Create a new rate card
 - Add a rate card to an offer or option
 - Offers and options
 - Campaigns
 - Add a campaign
 - Edit a campaign
 - Duplicate a campaign
 - Pause or resume a campaign
 - Stop a campaign
 - Bookings
 - Add a booking
 - Where
 - When
 - How
 - User frequency cap
 - Delivery limit
 - Targeting
 - Booking price
 - Booking info & metadata
 - Saving a booking
 - Edit a booking
 - Edit multiple bookings
 - Duplicate a booking
 - Pause or resume a booking
 - Stop a booking
 - Creatives
 - Upload a creative
 - Add an HTML5 creative
 - Add an image
 - Add a third-party tag
 - Add an Advar creative
 - Additional creatives
 - Upload expandable creatives
 - HTML5 banner - clicktag integration
 - Edit a creative
 - Duplicate a creative
 - Remove a creative
 - Live preview a creative
 - Composing a live preview with more than one creative
 - Hotfolder
 - Hotfolder: Uploading Advars
 - Video ad serving
 - Trafficking bookings and creatives
 - The start of campaign delivery
 - The delivery scheme of Adhese explained
 - User logs
 - Third-party tracking
- Monitoring and reporting
 - Delivery overview
 - Statuses
 - Campaign status
 - Booking status
 - Creative status
 - Header status
 - Traffic status
 - Progress status
 - Status stars
 - Alerting
 - Alerts
 - Mail templates
 - Mail template content coding

- Dashboards
 - Campaign dashboard
 - Booking dashboard
 - Creative dashboard
- Gateway dashboard
- Campaign forecasting
- Troubleshooting
- Built-in reporting: the Report tab
- Datamine
- Create custom reports with Excel PivotTables
- Documents tab: client reports
- Big Query Reporting & Dataset Information
- Custom reports
- Third-party access
- Miscellaneous
 - Integrations
 - Integrations with third-party demand sources
 - Cross-platform delivery
 - Mobile
 - Video
 - Data ownership, transfer & transparency
 - Adhese-specific error codes
- Appendix
 - Glossary
 - Online advertising formats
 - List of third-party ad servers and marketplaces
 - Parameters for templates and Advar templates
 - Request target parameters
 - Server-side request parameters
 - List of JSON response structure object fields
 - Table columns in the Adhese interface
 - Table columns in the data mining reports
 - Table columns in the client reports (Documents tab)
 - Cookies
- FAQ
- Release notes
 - Archive
 - Adhese 2.0.17
 - Adhese 2.0.17.36
 - Adhese 2.0.18.X
 - Adhese 2.0.19
 - Adhese 2.0.20
 - Adhese 2.0.21
 - Adhese 2.0.22
 - Adhese 2.0.24
 - Adhese 2.0.25
 - Adhese 2.0.26
 - Adhese 2.0.27
 - Adhese 2.0.28
 - Adhese 2.0.29
 - Adhese 2.0.31
 - Adhese 2.0.32
 - Adhese 2.0.33
 - Adhese 2.0.34
 - Adhese 2.0.35
 - Adhese 2.0.36
 - Adhese 2.0.38
 - Adhese 2.0.39
 - Adhese 2.0.40
 - Adhese 2.0.41
 - Adhese 2.0.42
 - Adhese 2.0.43.x
 - Release notes for native SDK for Android and IOS
 - Adhese 2.0.44.x
 - Adhese 2.1.1
 - Adhese 2.1.2
 - Adhese 2.1.3x
- Introduction to Adhese for Adops